


MANCHESTER

- 1 SIDs reflect Noise Preferential Routeings. See EGCC AD 2.21 for Noise Abatement Procedures.
- 2 **No turns below 757' QNH (500' QFE).**
- 3 Cruising levels at FL190 and below will be allocated en-route by 'Manchester Control', cruising levels above FL190 will be allocated en-route by 'London Control'.
- 4 Callsign for RTF frequency used **when instructed** after take-off 'Manchester Control'. On first contact advise callsign/SID designator current altitude and cleared altitude.
- 5 Max IAS 250KT below FL100 unless otherwise authorised.
- 6 Aircraft requesting cruising levels FL70 and below will be routed via **LIC NDB**.
- 7 **Rwy 24L/R:** LISTO SIDs available only for non-jet aircraft and *exceptionally* for specified jet aircraft authorised by the Airport Authority. Other jet aircraft should flight plan and will be cleared via **HON 1R/1Y**.
- 8 LISTO 1R/1Y departures. In order to alleviate airspace congestion and improve ATC flexibility, pilots of jet aircraft allowed to fly the LISTO SID may be offered HON 1R/1Y SID at a late stage prior to departure. Pilots unable to accept a Honiley SID when offered must inform ATC.
- 9 **WARNING: RUNWAY 24L/06L.** In the event of a missed approach on runway 24R/06R ATC may instruct aircraft which have departed from runway 24L/06L to make a **LEFT** turn in order to establish separation.



SID	RWY	ROUTEING (incl. Noise Preferential Routeing)	ALTITUDES	AIRWAY ROUTE
LISTO 1R 134-425	24R**	Climb straight ahead (See Note 9). At MCT D2 turn left onto track 163°M to establish on HON VOR R342 to LISTO (HON VOR R342 D51).	Cross MCT D9 at 3000' or above LISTO at 5000'.	A1, R101, B3, B53 Southbound and for aircraft leaving controlled airspace via TNT VOR . See note 7
LISTO 1Y 134-425	24L*	Climb straight ahead (See Note 9). At MCT D3:2 turn left onto track 156°M to establish on HON VOR R342 to LISTO (HON VOR R342 D51).		
LISTO 1S 134-425	06L†	Climb straight ahead (See Note 9). At MCT D1:2 turn right onto track 150°M. At MCT D2:7 turn right onto POL VOR R190 to LISTO (HON VOR R342 D51).	Cross POL D24 at 2000' or above POL D33 at 4000' or above LISTO at 5000'.	
LISTO 1Z 134-425	06R	Climb straight ahead (See Note 9). At MCT D1:2 turn right onto POL VOR R190 to LISTO (HON VOR R342 D51).		

† RWY 06L: Maintain minimum 5.6% climb gradient to 100' AAL.
* RWY 24L: Maintain minimum 4.0% climb gradient to 100' AAL.
** RWY 24R: Maintain minimum 5.0% climb gradient to 100' AAL.

CHANGE SID FREQUENCIES.